


# Mylinc TM A little touch of genius



### It's sleeker.

The Mini-CD is a smaller version of the traditional Compact Disc. Not only do Mini-CDs look sleeker in sales kits, they are also better value because of their smaller size.





Smaller isn't just smarter in CDs. Mylinc™ has been designed to be smarter than regular modular switches, in order to offer you the twin benefits of sleeker looks and value for money.

# Smaller is smarter for builders.


With its stylish screwless finish and elegant rounded corners, Mylinc<sup>TM</sup> heightens the beauty of every wall in your building project. And with its competitive pricing it also offers you something to appreciate, value for money. Now you have a viable option to enhance the finishing of any housing project.

But that's not all. Mylinc™ also features child-proof sockets and has a lifetime of 27 years, which means that you can proudly inform homeowners that as a builder you not only believe in using sleeker looking switches but that you also ensure that they deliver safety & dependability.

### It's reliable.

The memory stick is an innovative step up in conventional data storage. Not only are memory sticks more convenient for storing and carrying data, they are also far more reliable.





Smaller isn't just smarter in data storage. Mylinc™ has been designed to be smarter than regular modular switches, keeping in mind that you would prefer technically advanced products that offer convenience while improving on reliability.

# Smaller is smarter for consultants.

Not only does Mylinc<sup>™</sup> feature a smart front plate that allows itself to be easily removed, Mylinc<sup>™</sup> switches feature a smart front removal system, meaning they can be conveniently removed from the inner plate without having to unscrew it and risk disturbing the wiring (a smart feature only found in Legrand Switches).

And as all technical data on Mylinc™ products is laser marked, meaning its inerasable, monitoring product quality & consistency is a breeze. Now you have a technically advanced option to recommend for any building project.

Moreover, Mylinc™ also features child-proof sockets and has a lifetime of 27 years, which means that as a consultant you can advise your clients to not only invest in technically advanced products but also those that offer safety & dependability.

### **□** legrand

### It's elegant!

The mini credit card is a design innovation on the more commonly seen credit card.

Not only do mini credit cards have a more elegant look, they also offer all the functions of a regular credit card.





Smaller isn't just smarter in credit cards. Mylinc™ has been designed to be smarter than regular modular switches, in order to offer you a more elegant option, without compromising on functionality.

# Smaller is smarter for architects & interior designers.

With a stylish screwless finish and a beautiful curvy shape, Mylinc<sup>TM</sup> allows you to follow through with your artistic sense. With its rounded corners it even features an elegant design touch to prevent dust from accumulating in the most likely places. Now you have a classy option to enhance the aesthetic appeal of any home.

Furthermore, Mylinc™ also features child-proof sockets and has a lifetime of 27 years, which means that as an architect or designer you're not only advising your clients to opt for fashionable switches but to opt for those that add safety & dependability.



### It's convenient!

The smaller bottle is a nice twist on the standard sized soft drink bottle. But the real beauty of its smaller size is that it makes handling it far more convenient than its bulkier cousin.





Smaller isn't just smarter in bottles. Mylinc™ has been designed to be smarter than regular modular switches, in order to offer you far more convenience when handling switches.

# Smaller is smarter for contractors & electricians.

Not only does Mylinc™ feature a smart front plate that allows itself to be easily removed, Mylinc™ switches feature a smart front removal system, meaning they can be conveniently removed from the inner plate without having to unscrew it and risk disturbing the wiring (a smart feature only found in Legrand switches).

There's also a top orientation arrow to indicate the correct direction for mounting a switch. Then there's a Linc-Loc™ feature to make sure this process is foolproof. Basically, Mylinc™ ensures perfect alignment and flawless workmanship on your part. There's even a stripping template that shows you how much wire to peel off. That's a lot of convenience in one small switch.

In addition, Mylinc™ also features a compact range of products, so you'll save time over the long run and never be at a loss when it comes to finding a replacement solution.

### It's stylish!

Mini speakers are a generation beyond regular sized speakers. Not only do they pack in more technology, they are preferred by homeowners for their smaller and more stylish design.





Smaller isn't just smarter in speakers. Mylinc™ has been designed to be smarter than regular modular switches, in order to offer you a product that appeals to both electricians and homeowners.

# Smaller is smarter for retailers.

On one hand, with a Linc-Loc<sup>TM</sup> system that ensures switches are always mounted correctly, Mylinc<sup>TM</sup> appeals to electricians because it makes installation a breeze and allows them to deliver perfect workmanship.

On the other hand, with its stylish screwless finish and elegant rounded corners,  $Mylinc^{TM}$  appeals to homeowners because it adds a higher level of finishing to their homes. Now you have one product that appeals to them both.

Best of all, Mylinc™ features a compact range of products (so you can easily decide what products to stock and keep more of them in stock) and is competitively priced (so you can stock more at a lower investment and sell more switches in a smart manner).

### It's classy!

The mini mobile is the latest improvement in mobile phone design. Not only does it establish that smaller is sleeker, it also packs a lot more technology into a smaller place.





Smaller isn't just smarter in mobile phones. Mylinc<sup>TM</sup> has been designed to be smarter than regular modular switches, in order to offer you the luxury of style as well as the benefits of technology.

# Smaller is smarter for homeowners.

With its classy screwless finish and nice curvy shape, Mylinc™ is the little beauty on your walls. And with its rounded corners it even helps keep dust from gathering in an unsightly way.

But the technology it packs is a life saver; a smart socket mechanism within Mylinc™ does not allow a plug to be inserted until both of its pins are inserted simultaneously, making it child-proof. Now you have the advantage of choosing a cuter switch that's absolutely safe at any height on your walls.

And with an ISI mark of quality it goes without saying that you are choosing a product of the highest quality.

# Smaller is smarter in design.

Mylinc™ is a complete range of modular wiring accessories.

Switches and sockets designed and made in India, keeping everyone's requirements in mind. Whether it's safety, reliability, convenience or beauty; smaller is smarter in modular switch design.



#### Screwless finish & rounded corners

With smooth curves, a sleek shape and a screwless appearance, Mylinc  $^{\text{TM}}$  adds beauty to any home in style.



#### Linc-Loc™

Mylinc™ is intelligent enough to ensure that no one can fix it upside down even by accident. Moreover, all the switches and sockets get perfectly aligned by getting linked to one another.



#### Childproof sockets

A smart socket mechanism within Mylinc™ does not allow a plug to be inserted until both of its pins are inserted simultaneously. Hence there is no possibility of a child receiving a shock by accidentally attempting to insert a metal object into the socket.



#### Laser marking

All technical data on the product is laser marked, making it incrasable. This facilitates the monitoring of product quality.



#### Top orientation arrow

This feature indicates the correct direction for mounting a switch and facilitates installation.



#### Front Removal

This feature allows for the replacement of switches without having to open the plate and risk disturbing the wiring.



#### Stripping Template

This feature indicates how much wire to peel off.



#### ISI marking

This mark of quality ensures product reliability for the Indian market.



#### Modular plates (Details on p. 18-22)

Superior finish, screwless, rounded corners dust proof, solid strength.
Supported by plastic frame behind with flexible wall alignment.
Horizontal adjustment facility.

# 1 lac operations

With a guarantee of 100,000 operations, assuming an average switch is operated 10 times a day, this product is dependable for 27 years.




#### CE marking

This mark of quality further signifies that this product has been certified for export to the European market.



# Smaller is smarter to install

### Install Mylinc™ in 5 easy steps on a metal flush box





# Smaller is smarter in colours

Mylinc<sup>TM</sup> is also smarter when it comes to plates. Not only are they strong, dust-proof and screwless they have rounded corners and superior finishing. Supported by a plastic frame they offer flexible wall alignment and are easy to adjust horizontally. It has an articulate answers to blend beautifully with any decor. Even better, they come in 4 attractive colours: pearl, wood, grey & bronze.



# Mylinc™ mechanisms switches and accessories







Pack

**10**/50

**20**/100

**10**/50

**20**/100

**20**/100

1/5/25

Cat. no

6755

6755

6755

6755



Switches are ISI marked as per the latest IS 3854:1997 Silver plated screw terminals Linc-Loc<sup>™</sup> inter-locking mechanisms for perfect alignment. Laser marking.

Pack	Cat. nos.	Switches	M.R.P. Rs./unit	Number of modules
00/100	(555.04	6 A - *250V	/ -	4
<b>20</b> /100	6755 01	6 A one-way SP switch	65	I
<b>20</b> /100	6755 02	6 A two-way SP switch	89	1
<b>20</b> /100	6755 03	6 A one-way SP switch with indicator	94	1
		16 A - *250V ∼		
<b>20</b> /100 <b>20</b> /100 <b>20</b> /100	6755 11 6755 12 6755 13	16 A one-way SP switch 16 A two-way SP switch 16 A one-way SP switch with indicator	104 116 124	1 1 1

<sup>\*</sup> Preffered voltage for IS 385 is 230 V  $\sim$  and for IS 1293 is 240 V  $\sim$ 

os.			M.R.P. Rs./unit	Number of modules
	Switch	es 32 A - *250V へ	·	
26		32 A one-way double pole switch with indicator	219	2
	Push B	uttons 6 A - *250V		
04		6 A one-way SP bell push	89	1
06		6 A one-way SP bell push with indicator	169	2
	-	g Modules		
		ting light,night lamp yht for 25000 hrs.		
95	<b>3</b> 8	Indicator Light red	60	1
96	<b>:</b> 8	Indicator Light orange	60	1
97#		Skirting Light with LED	255	3

<sup>#</sup> To be introduced shortly



## **Mylinc**<sup>TM</sup> mechanisms dimmers and fan regulators

# Mylinc™ mechanisms energy sockets / power unit











6755 58

### Wiring diagram on the product Conforming to IS 11037

Pack	Cat. nos.		rs and fan regulators with off and gradual dimming,	M.R.P. Rs./unit	Number of modules
1/ <b>10</b> /50	6755 35	O	Rotative dimmer 60-250 W for light	227	2
1/ <b>10</b> /50	6755 30		Fan regulator 100W, Humfree, 0-4 steps	361	2

Conforming to IS 1293 : 1988 Shuttered for child safety Shutter opens only with phase and neutral insertion simultaneously.

**Energy Sockets** Cat. nos. M.R.P. Number of Rs./unit modules 10/50 **6755 50** 95 2

10/50	6/33 30		6A - 2/3 pin combine	75	
<b>10</b> /50	6755 55		6/16 A - 3 pin combine	154	2
<b>10</b> /50	New 6755 51		6 A - 3 pin	95	2
		Power	unit		
<b>5</b> /25	6755 58	- L	Power Unit for 2 Ton A.C and 3.5 KW Geyser	456	4



Mylinc™ mechanisms low voltage sockets / TV socket and RJ11 telephone socket / accessories

# Mylinc™ plates Modular white plates











20

19

Number of modules





6755 61

6755 62

Pack	Cat. nos.	Socket	S		
		network	ible with reception of antenna, satel s signals. m connector TV female for co-axial		le
				M.R.P. Rs./unit	
<b>20</b> /100	6755 46		TV Socket	80	
<b>20</b> /100	6755 41	6	RJ 11 Telephone Socket	80	
<b>20</b> /100	New 6755 44		Double RJ 11 Telephone Socket	121	
<b>20</b> /100	6755 45		RJ 45 Cat 6 computer socket	320	
<b>20</b> /100	6755 47		RJ 45 Cat 5e computer socket	290	
		Acces	sories		
<b>20</b> /100	6755 91	0	Cable Outlet Straight - 0.8 mm	66	

Blanking Plate

Spare 12 Screws with nuts

Pack	Cat. nos.	Modular white plates					
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignmer Horizontal adjustment facility.					
		White plates	M.R.P. Rs./unit	Dimensions (mm) H x W			
<b>10</b> /100	6755 61	For 1 module (square)	44	86 X 86			
<b>10</b> /100	6755 62	For 2 modules (square)	44	86 X 86			
<b>10</b> /100	6755 63	For 3 modules	55	86 X 121			
<b>10</b> /100	6755 64	For 4 modules	63	86 X 146			
<b>10</b> /50	6755 66	For 6 modules (2 column x 3)	85	86 X 224			
<b>10</b> /50	6755 67	For 8 modules (2 column x 4)	105	86 X 245			

**20**/200

**20**/100

6755 90

6755 92




### Mylinc™ plates Modular white plates

### Mylinc<sup>TM</sup> plates Modular colour plates





6755 69





6756 02

0/30 02										
Pack	Cat. nos.	Modular colour plates								
			Superior finish, screwless, rounded corners dust proof, solid							
		strength. Supported by plastic frame behind with flexi Horizontal adjustment facility.	ble wall a	alignment.						
		Pearl plates Details refer Pg 13	M.R.P. Rs./unit	Dimensions (mm) H x W						
<b>10</b> /100	6756 00	For 1 module	75	86 X 86						
<b>10</b> /100	6756 01	For 2 modules	87	86 X 86						
<b>10</b> /100	6756 02	For 3 modules	109	86 X 121						
<b>10</b> /100	6756 03	For 4 modules	125	86 X 146						
<b>10</b> /50	6756 04	For 6 modules	171	86 X 224						
<b>10</b> /50	6756 05	For 8 modules	218	86 X 245						



# Mylinc™ plates Modular colour plates









6756 04	
---------	--

6756 12

6756 14

					0,00,.				
Pack	Cat. nos.	<b>Pearl plates</b> Details refer Pg 13	M.R.P. Rs./unit	Dimensions (mm) H x W	Pack	Cat. nos.	Bronze plates Details refer Pg 13	M.R.P. Rs./unit	Dimensions (mm) H x W
<b>5</b> /50	6756 06	For 4x2 modules	218	172 x 146	<b>10</b> /50	6756 13	For 4 modules	125	86 x 146
<b>5</b> /50	6756 07	For 9 modules	280	86 X 228	<b>10</b> /50	6756 14	For 6 modules	171	86 x 224
<b>5</b> /50	6756 08	For 12 modules	312	172 x 224	<b>10</b> /50	6756 15	☐ ☐ For 8 modules	218	86 X 245
<b>5</b> /25	6756 09	For 18 modules	374	240 x 224	<b>5</b> /50	6756 16	For 4x2 modules	218	172 x 146
<b>10</b> /100	6756 10	Bronze plates Details refer Pg 13  For 1 module	75	86 x 86	<b>5</b> /50	6756 17	For 9 module	280	86 X 228
<b>10</b> /100	6756 11	For 2 modules	87	86 x 86	<b>5</b> /50	6756 18	For 12 modules	312	172 x 224
<b>10</b> /100	6756 12	For 3 modules	109	86 x 121	<b>5</b> /25	6756 19	For 18 modules	374	240 x 224



# Mylinc™ plates Modular colour plates









6756 22 6756 24

6756 32

Pack	Cat. nos.	<b>Grey plates</b> Details refer Pg 13	M.R.P. Rs./unit	Dimensions (mm)	Pack	Cat. nos.	<b>Grey plates</b> Details refer Pg 13	M.R.P. Rs./unit	Dimensions (mm) H x W
<b>10</b> /100	6756 20	For 1 module	75	н x W 86 x 86	<b>5</b> /50	6756 27	For 9 modules	280	86 X 228
<b>10</b> /100	6756 21	For 2 modules	87	86 x 86	<b>5</b> /50	6756 28	For 12 modules	312	172x224
<b>10</b> /100	6756 22	For 3 modules	109	86 X 121	<b>5</b> /25	6756 29	For 18 modules	374	240 x 224
<b>10</b> /50	6756 23	For 4 modules	125	86 X 146	<b>10</b> /100	6756 30	Wooden plates Details refer Pg 13  For 1 module	249	86 X 86
<b>10</b> /50	6756 24	For 6 modules	171	86 X 224	<b>10</b> /100	6756 31	For 2 modules	268	86 X 86
<b>10</b> /50	6756 25	For 8 modules	218	86 X 245	<b>10</b> /100	6756 32	For 3 modules	299	86 X 121
<b>5</b> /50	6756 26	For 4x2 modules	218	172 x 146	<b>10</b> /50	6756 33	For 4 module	374	86 X 146



### Mylinc<sup>TM</sup> plates Modular colour plates



# Mylinc™ mechanisms White modular plates







	ack 1/50	Cat. nos.	Wooden plates Details refer Pg 13  For 6 modules	M.R.P. Rs./unit	Dimensions (mm) H x W	Pack	Cat, nos.	Modular white surrounds Superior finish, screwless appearance Rounded corners, dust proof, for acrylic or partition wall	hylem sh	eet or
10	/50	6756 35	For 8 modules	561	86 X 245			White surrounds	M.R.P. Rs./unit	Dimensions (mm) H x W
<b>.</b>	/50	6756 36	For 4x2 modules	F./4	450 477	<b>20</b> /200	6755 81	For 1 module	20	61 x 34.4
5/	730	073030	For 4x2 modules	561	172 x 146	<b>10</b> /100	6755 82	For 2 modules	28	61 x 58
5/	/50	6756 37	For 9 modules	623	86 X 228	<b>10</b> /100	6755 83	For 3 modules	36	61 x 81.6
5/	/50	6756 38	For 12 modules	670	172 x 224	<b>10</b> /100	6755 84	For 4 modules	39	61 x 105.2
-	/o.c	/85 / 00				<b>10</b> /100	6755 86	For 6 modules (2 column x 3)	60	61 x 162.5
5/	/25	6756 39	For 18 modules	779	240 x 224	<b>10</b> /50	6755 89	For 9 modules (3 column x 3)	78	61 x 243.5



## Mylinc™ mechanisms flush boxes











Pack	Cat. nos.	Flush boxes for Mylinc™ Plate

Factory made sheet metal enclosure

Top, bettern side and back wall kneck outs from any direction

		Possible to break open kno	wall knock-outs fro ck-outs without any	om any direction. v special tool.					
			M.R.P. Rs./unit	Dimensions (mm) H x W x D	Pack	Cat. nos.	_	M.R.P. Rs./unit	Dimensions (mm) H x W x D
20	6890 07	1/2 module	46	76.5 x 76.5 x 51.0	10	6890 31	4x2 modules (2 rows x 4)	111	136.8 x 136.6 x 61
20	6890 08	3 modules	46	76.5 x 99.7 x 51.0	10	6890 29	9 modules	125	77.3 x 279.3 x 51.2
20	6890 09	4 modules	62	76.5 x 136.8 x 51.0	5	6890 11	12 modules	168	145.3 x 215 x 61.2
20	6890 10	6 modules	99	76.5 x 214.2 x 51.0	5	6890 12	18 modules	209	213.3 x 215 x 61.2
		_							

77.3 x 232.8 x 51.0



# Mylinc™ mechanisms surface boxes











6745 46

6740 93

6745 47

6890 21

6890 22

Pack	Cat. nos.	Surface boxes for Mylinc™ Plate								
		Factory made plastic enclosure upto 9 m Off white shade : Top, bottom and back wall knock-out for Possible to break open knockout withou								
		·	, ,		Pack	Cat. nos.		M.R.P. Rs./unit	Dimensions (mm)	
		<b>1</b>	M.R.P. Rs./unit	Dimensions (mm) H x W x D	5	6890 40	8 modules	110	н x W x D 86 x 245.2 x 45	
10	6745 46 A	1/2 module	44	86 x 86 x 45	5	689041	4x2 module	110	172x146x45	
10	6740 93	3 modules	52	86 x 121 x 45	5	6740 99	9 modules	121	86 x 288 x 45	
10	6745 47 A	4 modules	63	86 x 146 x 45	5	6740 77	7 modutes	121	00 % 200 % 43	
5	6740 98	6 modules	74	86 x 224 x 45	6	6890 21	12 module (2 rows x 6)	290	172 x 224 x 51.2	
		(			4	6890 22	18 module (3 rows x 6)	301	240 x 224 x 51.2	



# Smaller is smarter by Legrand.

As the world leader in wiring accessories, with 70 years of experience and a presence in 160 countries, Legrand leverages its knowledge of best practices across the globe in order to bring its clients products that make a difference. In India, Legrand is a leader in electrical safety devices and a pioneer in innovative modular switch, socket and accessories design.

#### Legrand [India] Pvt. Ltd.

(formerly MDS Switchgear Pvt. Ltd.) 803/804. Nicholas Piramal Tower. Peninsula Corporate Park, Ganpatrao Kadam Marg, Off Senapati Bapat Marg. Lower Parel, MUMBAI - 400 013.

Tel: (022) 2493 9425 / 2493 8416 / 30416200 Fax: (022) 2496 2105

Website: www.legrand.co.in



#### Head office

1. 803/804. Nicholas Piramal Tower. Peninsula Corporate Park, G. K. Marg, Off. S. B. Marg, Lower Parel.

**MUMBAI** - 400 013. Tel: (022) 2493 9425/8416. 30416200

Fax: [022] 2496 2105 Website: www.legrand.co.in

#### Regional sales offices

2. 501-507, Tolstoy House, Tolstoy Marg. **NEW DELHI** - 110 001. Tel: (011) 2371 7643/48 Fax: (011) 2371 7646

3. Rawdon Chambers, D-Block, 4th Floor. 11A, Sarojini Naidu Sarani, (Rawdon Street), **KOLKATA** - 700 017.

Tel: (033) 2280 2917, 2280 2918 Fax: (033) 2287 6780

4. 314/317, Shah & Nahar Ind, Estate, Dr. E. Moses Road. Worli. **MUMBAI** - 400 018.

Tel: (022) 2499 3045 / 52 Fax: (022) 2497 2906

5. Kences Towers. 5-F. Block IX. 1, Ramakrishna Street, T. Nagar, CHENNAI - 600 017. Tel: (044) 2814 1313, 2814 1317

Fax: (044) 2814 1578

#### Branch office

6. 504. Sakar IV. Opp. M. J. Library, Ellis Bridge, **AHMEDABAD** - 380 006. Gujarat Tel: (079) 2658 6561/2

Fax: (079) 2658 6563

7. Gopur Apartment, 203, 1st Floor, 1195/57. Ghole Road. Opp. Chinar Hotel, **PUNE** - 411 005. Tel: (020) 2553 9367 Fax: (020) 2553 9368

8. 1001/1002, A Wing, No. 6. Mittal Towers, M. G. Road. **BANGALORE** - 560 001. Tel: (080) 2559 3721, 4113 3293 / 94

Fax: (080) 2559 4435

9. 504/2, White House, Block 1. 5th Floor. Kundanbagh, Begumpet, **HYDERABAD** - 500 016. Tel: (040) 2341 4367, 5536 6974 Telefax: (040) 2341 4398

**10.** No. 36/2178, Syda Building, 2nd Floor, Kaloor-Kadavanthra Rd... Kaloor,

KOCHI - 682 017.

Tel: (0484) 558 0921, 234 2921 Fax: (0484) 233 3921

11. IV-D 4th Floor. Thirumalai Towers, 723, Avanashi Road, **COIMBATORE** - 641 018. Tel: (0422) 550 2728, 221 3634 Telefax: (0422) 221 5164

12. SCO 1-2-3 Second floor, Sector 17B.

**CHANDIGARH** - 160 017. Tel: (0172) 501 9008

13. 302, III Floor, Gurukripa Tower, C-43, Mahaveer Marg, C-Scheme, **JAIPUR - 302 001.** Tel: (0141) 5113129

#### Area offices

14. Triveni House, 3rd Floor, 1 Nawal Kishore Road. Hazratgani, **LUCKNOW** - 226 001. Tel: (0522) 262 9136 Fax: (0522) 262 2492

15. Cabin No.9. Second Floor. Madhok Trade Centre. Madhok Complex, Ferozpur Road, Ludhiana - 141 001 Tel/Fax No.: (0161) 2770301-304

16. 2nd Floor, 375 Smruti Blda... Gandhi Nagar. North Ambazari Road, **NAGPUR** - 440 010. Tel: (0712) 224 1790 Fax: (0712) 222 0113

17. MF-2. Datta's Lords House. Jammi Chettu Street. VIJAYWADA - 520 010. Telefax: (0866) 559 9393

18. C17/18. Shreevardhan Bizness Centre, Upper Ground Floor, Shreevardhan Complex, 4,RNT Marg, **INDORE** - 452 001 Tel: (0731) 404 6649

Telefax / Direct Line: (0731) 504 6649

#### Technical assistance from Legrand

Telephonic technical assistance for selection of products, technical information, guidance, wiring diagrams and estimation is now made available to you at each Regional Office. Contact the Technical Officer of Legrand at the following telephone numbers

New Delhi : Tel.: (011) 2371 7643 : Tel.: (033) 2280 2917, 2280 2918 Kolkata

Mumbai : Tel.: [022] 2499 3045/52 : Tel.: (044) 2814 1313, 2814 1317 Chennai

For other places, contact the nearest Regional / Branch / Area offices.